

Bioprint Design & Use of Imaging in 2022

Prof. Steven S. Saliterman

Department of Biomedical Engineering, University of Minnesota

<http://saliterman.umn.edu/>

*Prof. Angela Panoskaltsis-Mortari's BME 5361,
3D Bioprinting*

Workflow

Pre

- 1) **Design** – What are you trying to achieve? What bioinks and printing method?
- 2) **Images** – Useful from the subcellular to organ level. Apply CAD tools for segmentation, freeform and other space-filling methods.



Processing

- 3) **Slicer Software** – G-code generation for controlling toolpath, speed, valves, droplet patterns, laser pulse, photoinitiator lights (*e.g. Ingracure and other gels*), temperature etc.
- 4) **Special setups** – Extruder, tips, light source (specific nm), pressure & calibration, cooling (*Pluronic Gel*) etc.
- 5) **Bioprinting**

Post

- 6) **Bioreactor** – Incubation, nutrients, growth factors, oxygen supply, environment, etc. (*Your 4th dimension -time!*)
- 7) **Observation** – Fluorescent and transmitted light (*confocal microscopy, bright-field, dark-field, confocal laser microscopy etc.*).
 - Automatic imaging with control of ambient air, humidity and temperature.
- 8) **Characterization** – Histology, growth, mechanical properties etc.

Imaging





Some Common Imaging Methods...

- ▶ **Magnetic Resonance Imaging (MRI) or NMR**
 - Human max. is 3T (Tesla) – resolution of 250 μ m x 250 μ m 0.5mm.
 - High spatial resolution μ MRI, 7–10T, 5–200 μ m.
 - Magnetic nanoparticles.
- ▶ **Computed tomography (CT) – *Computer Axial Tomography***
 - Typical resolution of 0.24 – 0.3mm.
 - μ CT, resolution of 1–200 μ m.
- ▶ **Ultrasound (less useful in bioprinting)**
 - Resolution of 1mm x 1mm x 0.2mm.
- ▶ **PET – Positron emission tomography**
- ▶ **SPECT – Single photon emission computed tomography**
- ▶ **Optical Coherence Tomography (OCT)**
- ▶ **Traditional optical techniques.**


Components of Medical Imaging...

- ▶ Image *formation & reconstruction* – using machines to create 2D and 3D images.
- ▶ Image *processing and analysis* – algorithms to enhance image properties (like noise removal); extracting quantitative information or a set of features from the image for object identification and classification.
- ▶ Input into *Machine Learning and Deep Learning* systems for more advanced analysis.

Magnetic Resonance Imaging (MRI) & Computed tomography (CT)...




© MAYO FOUNDATION FOR MEDICAL EDUCATION AND RESEARCH. ALL RIGHTS RESERVED.



© Mayo Foundation for Medical Education and Research. All rights reserved.

Positron Emission Tomography (PET)...




© MAYO FOUNDATION FOR MEDICAL EDUCATION AND RESEARCH. ALL RIGHTS RESERVED.

CT scan/PET Scan/ Combined


What are you trying to achieve?

Bioprinted Hydrogel Examples



Hospodiuk, M. et al. "The Bioink: A Comprehensive Review on Bioprintable Materials." *Biotechnology Advances* 35, no. 2 (Mar–Apr 2017): 217–39.

Pathway for Bioprinting 3D Tissue



Shape Fidelity





Figure 3. A bioprinting process that uses combination of different printing strategies to improve print fidelity and resolution.

Lee, J. M., and W. Y. Yeong. "Design and Printing Strategies in 3d Bioprinting of Cell-Hydrogels: A Review." *Advanced Healthcare Materials* 5, no. 22 (Nov 2016): 2856-65.

Design Techniques...

- ▶ Underlying methods in CAD systems:
 - Constructive solid geometry (solid primitives and boolean operators)
 - Boundary representation (vertices, edges and faces)
 - Spacial enumeration (cubic elements)
- ▶ Image-based design
- ▶ Implicit surfaces
- ▶ Space-filling curves
- ▶ Irregular porous structures

Library of CAD-based Primitives...








Nam Jet.al. Computer aided tissue engineering for modeling and design of novel tissue scaffolds. *Computer-Aided Design & Applications* 2004;1:633-40.

Lay-down Patterns...

Honeycomb Pores






Hilbert Recursive Curves



Giannitelli, S. M., et. al.. "Current Trends in the Design of Scaffolds for Computer-Aided Tissue Engineering." [In English]. *Acta Biomaterialia* 10, no. 2 (Feb 2014): 580-94.

Different Fiber Arrangements for Extrusion

Table 2
Different fiber arrangements implemented using extrusion-based manufacturing techniques.

Typology	Arrangement	Schematic diagram	Refs.
Single material scaffolds	Homogeneous fiber spacing		[48,51,52,65]
	Double layer configuration		[52]
	Staggered fiber spacing		[51,55,64]
	Pore size gradients		[65]
Hybrid scaffolds	Bi/multimaterial		[56,117]

Giannitelli, S. M., et. al.. "Current Trends in the Design of Scaffolds for Computer-Aided Tissue Engineering." [In English]. *Acta Biomaterialia* 10, no. 2 (Feb 2014): 580-94.

Segmentation

▶ Purpose

- To delineate and isolate anatomical features within an imaging database– e.g. bone, cartilage, soft tissue, edema; muscle, lung, brain & other organs, and tumors.

▶ Categories

- Manual, Semi-automatic and fully automatic.


▶ Techniques

- Thresholding
- Clustering based approach
- Edge-based

Segmentation with Available Software...

- ▶ Extract images from **DICOM** files (**ITK-Snap**, **Onis**) and possible deidentifying them for HIPPA regulations (**DICOMCleaner**).
- ▶ Segmentation Software (**ITK-Snap**, **Seg3D2**, **Materialise Mimics**, **Materialise 3-matic**).
 - Pre-segmentation Phase – identify parts of image as foreground and background.
 - Active Contour Phase – manual and semiautomatic methods.
- ▶ Editing and fixing mesh files (.STL) – **Autodesk Meshmixer**.
- ▶ Slicer software – **Simplify3D** and **Repetier**.
 - G-coding for the specific bioprinter – e.g. **Slic3R** (printer customized interface to control what happens in a sequence of control steps.)


Know the Main Anatomical Planes...






ITK Snap Demo Next...

Segmentation with ITK-Snap (freeware).



Manual Segmentation...





Semiautomatic – Contrast Adjustment...




“Balloon” Placement & Inflation...




3D Rendering...



Editing with Meshmixer (freeware)...





Import the STL Mesh file generated by ITK-Snap.



Edit feature – here slicing in a plane, bottom view.


Segmentation of the Cerebellum



Seg3D is a free volume segmentation and processing tool developed by the NIH Center for Integrative Biomedical Computing at the University of Utah Scientific Computing and Imaging (SCI) Institute. Seg3D combines a flexible manual segmentation interface with powerful higher-dimensional image processing and segmentation algorithms from the Insight Toolkit. Users can explore and label image volumes using volume rendering and orthogonal slice view windows.

Seg3D at a glance:

- Fully 3D interface with multiple volumes managed as layers
- Automatic segmentation integrated with manual contouring
- Volume rendering with 2D transfer function manipulation in real-time
- Image processing and segmentation from the Insight Toolkit (ITK)
- Real time display of ITK filtering output allows for computational steering
- 64-bit enabled for handling large volumes on large memory machines
- Supports many common biomedical image formats
- Open source with BSD-style license
- Cross platform: Windows, OSX, and Linux



Seg3D

<https://www.sci.utah.edu/cibc-software/seg3d.html>

Seg3D


Toolpaths

- ▶ Bioprinting rasters may be in **Cartesian** vs **parametric*** form.
 - Consider extrusion-based (EBB) rather than droplet-base (DBB) or laser-based bioprinting (LBB) which are less common and based on manufacturer specific tool paths.
- ▶ Why use one method vs the other?
 - Issues arise with resulting printed *gradients* as excess accumulation of bioink can occur at directional changes.
 - Parametric* modeling/toolpath may be helpful for *lumen* and other *hollow shape* object printing.
 - Control of porosity (e.g. bones)

*Parametric implies a variable is dependent on other variables – commonly used to express the coordinates of the points that make up a geometric object such as a curve or surface.

Toolpath in Cartesian Coordinates...

- A. Design of a continuous toolpath and bilayer bioprinted vertebra.
- B. Toolpath for graded wound device and bilayer printed device.
- C. Comparison of toolpath using cartesian vs parametric coordinates.



Toolpath in Parametric Form...

- A. CAD model of aorta with controlled material composition along the parametric distance u .
- B. Femur model with toolpath for controlled porosity along the distance u ; sample double layer structure bioprinted using sodium alginate hydrogels.




Image J1 & J2 Software


- ▶ Image processing software developed by the NIH.
- ▶ Display, edit, analyze, process, save and print color and grayscale images.
- ▶ Able to read TIFF, PNG, GIF, JPEG, BMP, DICOM and FITS files.
- ▶ Calculate area and pixel value statistics of user-defined selections and intensity-threshold of objects.
- ▶ Measure distances and angles.

- ▶ Create density histograms and line profile plots.
- ▶ Supports standard image processing functions such as logical and arithmetical operations between images, contrast manipulation, convolution, Fourier analysis, sharpening, smoothing, edge detection, and median filtering.
- ▶ Geometric transformations such as scaling, rotation, and flips.
- ▶ Useful in evaluating 3D printability of gels through image analysis of lattice structures.

REVIEW



Deep learning for fabrication and maturation of 3D bioprinted tissues and organs

Wei Long Ng ^{a,b,*}, Alvin Chan^{c,*}, Yew Soon Ong^c and Chee Kai Chua^d

^aSingapore Centre for 3D Printing (SC3DP), School of Mechanical and Aerospace Engineering, Nanyang Technological University (NTU), Singapore; ^bHP-NTU Digital Manufacturing Corporate Lab, Singapore; ^cSchool of Computer Science and Engineering, Nanyang Technological University (NTU), Singapore; ^dEngineering Product Development (EPD) Pillar, Singapore University of Technology and Design (SUTD), Singapore

ABSTRACT

Bioprinting is a relatively new and promising tissue engineering approach to solve the problem of donor shortage for organ transplantation. It is a highly-advanced biofabrication system that enables the printing of materials in the form of biomaterials, living cells and growth factors in a layer-by-layer manner to manufacture 3D tissue-engineered constructs. The current workflow involves a myriad of manufacturing complexities, from medical image processing to optimisation of printing parameters and refinements during post-printing tissue maturation. Deep learning is a powerful machine learning technique that has fuelled remarkable progress in image and language applications over the past decade. In this perspective paper, we highlight the integration of deep learning into 3D bioprinting technology and the implementation of practical guidelines. We address potential adoptions of deep learning into various 3D bioprinting processes such as image-processing and segmentation, optimisation and *in-situ* correction of printing parameters and lastly refinement of the tissue maturation process. Finally, we discuss implications that deep learning has on the adoption and regulation of 3D bioprinting. The synergistic interactions among the field of biology, material and deep learning-enabled computational design will eventually facilitate the fabrication of biomimetic patient-specific tissues/organs, making 3D bioprinting of tissues/organs an impending reality.

ARTICLE HISTORY

Received 22 March 2020
Accepted 16 May 2020

KEYWORDS


3D bioprinting; 3D printing;
biofabrication; deep learning;
machine learning

Uses for Deep Learning...

- ▶ Image processing & segmentation.
- ▶ Optimization.
- ▶ In-situ correction of printing parameters.
- ▶ Refinement of the tissue maturation process.
- ▶ Ultimately more patient specific biomimetic tissues & organisms.

A)


Optimization of printing parameters



Quantitative optimization of the 3D printing process.

B)

In-situ monitoring and correction of bioprinting process



In-situ monitoring and correction of the 3D bioprinting process.




ELSEVIER

Contents lists available at [ScienceDirect](#)

Informatics in Medicine Unlocked

journal homepage: <http://www.elsevier.com/locate/imu>



Deep learning approaches to biomedical image segmentation

Intisar Rizwan I Haque^{a,b,*}, Jeremiah Neubert^{c,2}

^a University of North Dakota (UND), College of Engineering and Mines, Grand Forks, ND, USA

^b National University of Sciences and Technology (NUST), Islamabad, Pakistan


^c University of North Dakota, College of Engineering and Mines, Grand Forks, ND, USA



Machine & Deep Learning

- ▶ Identification and quantification of patterns in medical images.
- ▶ Implications for clinical diagnosis with automated and enhanced throughput, and applications of segmentation – including 3D model building and bioprinting.
- ▶ Simple machine learning includes automated analysis, beginning with *feature extraction* based on visually distinct regions – color, gray scale, texture, contrast and size. These regions have semantic meaning for the given problem. This becomes input into an *ML classifier*, which can determine optimal boundaries.
- ▶ *With a deep learning-based classifier (DLC), raw image data is processed without pre-processing, segmentation and feature extraction.*

Traditional



Future

Fig. 1. Change in classifier approach using typical machine learning algorithm and deep learning. Figure adapted from Ref. [14].




Engineering Tissue Fabrication With Machine Intelligence: Generating a Blueprint for Regeneration




Joohyun Kim^{1}, Jane A. McKee², Jake J. Fontenot² and Jangwook P. Jung^{2*}*

¹ Center for Computation and Technology, Louisiana State University, Baton Rouge, LA, United States, ² Department of Biological Engineering, Louisiana State University, Baton Rouge, LA, United States

1) Generation of a blueprint for regeneration



2) Machine intelligence-guided 3DBP



Combining 1) and 2) for producing an end-to-end (E2E) platform with unprecedented and accelerated advancement of tissue fabrication

This paper was submitted as an invited paper to IEEE Reviews in Biomedical Engineering on April 6, 2020. 1

Review of Artificial Intelligence Techniques in Imaging Data Acquisition, Segmentation and Diagnosis for COVID-19

Feng Shi[†], Jun Wang[†], Jun Shi[†], Ziyang Wu, Qian Wang, Zhenyu Tang, Kelei He, Yinghuan Shi,
Dinggang Shen*

Summary

- ▶ Review of Workflow
- ▶ Imaging
- ▶ Design
- ▶ Segmentation
- ▶ Tool Paths
- ▶ Image J1 & J2 Software
- ▶ Application of Machine Learning and Deep Learning